

Business Energy Solutions Program




INCENTIVES

Appalachian Power offers cash incentives for energy efficiency improvements that, in addition to reliable electric service at a reasonable cost, can make your place of business comfortable, productive and safe. You can help your bottom-line while being an environmental leader with our energy saving tips and programs.

Businesses can fund up to 30% of their total project costs, with generous incentive maximums of \$100,000 each for lighting and non-lighting projects - for a total of \$200,000. Incentives are available for various projects, including:











LIGHTING

HVAC

COMPRESSED AIR

REFRIGERATION

KITCHEN EQUIPMENT

Get started today!

All lighting measures must be DLC or ENERGY STAR® certified and must replace an existing incandescent, fluorescent, CFL, or HID lamp or fixture with equivalent lumens. Retrofit kits shall replace all components of the existing fixture except the outer shell.

Lighting	Lighting Description	Incentive
Exit Sign	LED Exit Sign	\$10 each
Recessed Downlight	LED Recessed Downlight Luminaire: < 1,500 Lumens	\$3 per fixture
	LED Recessed Downlight Luminaire: 1,500 - 2,999 Lumens	\$9 per fixture
	LED Recessed Downlight Luminaire: 3,000 Lumens or Above	\$16 per fixture
Screw-in Omnidirectional	LED Standard A-Type (Medium-Base): < 1,500 Lumens	\$2 per lamp
	LED Standard A-Type (Medium-Base): 1,500 - 2,999 Lumens	\$4 per lamp
	LED Standard A-Type (Medium-Base): 3,000 Lumens or Above	\$6 per lamp
	LED 3-Way, Bug, Marine, Rough Service, Infrared: < 1,500 Lumens	\$2 per lamp
	LED 3-Way, Bug, Marine, Rough Service, Infrared: 1,500 or Above	\$4 per lamp
	LED Reflector (Medium-Base w/ Bulb Diameter ≤ 2.25"): 400 - 1,199 Lumens	\$2 per lamp
	LED ER30, BR30, BR40, or ER40 (Bulb Diameter > 2.26" and \leq 2.5"): 400 - 649 Lumens	\$2 per lamp
	LED BR30, BR40, or ER40 (Bulb Diameter > 2.26" and \leq 2.5"): 650 - 1419 Lumens	\$3 per lamp
	LED R20 (Bulb Diameter > 2.26" and \leq 2.5"): 400 - 719 Lumens	\$2 per lamp
	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter > 2.26" and \leq 2.5": 540-999 Lumens	\$2 per lamp
Screw-in Directional	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter > 2.26" and \leq 2.5": 1,000-2,189 Lumens	\$4 per lamp
Directional	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter > 2.26" and \leq 2.5": 2190 Lumens and Above	\$7 per lamp
	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter >2.5": 640-1179 Lumens	\$2 per lamp
	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter >2.5": 1,180-2,579 Lumens	\$4 per lamp
	LED Other R, PAR, ER, BR, BPAR , or Similar Bulb Diameter >2.5": 2,580 Lumens or Above	\$6 per lamp
	LED All Reflector Lamps Below Lumen Ranges Specified Above	\$1 per lamp
	LED Decorative (Shapes B, BA, C, CA, DC, F, G, Any-Base, < 500 Lumens)	\$1 per lamp
	LED Decorative (Medium-Base,≥ 500 Lumens)	\$3 per lamp
Screw-in	LED Decorative (Candelabra or Intermediate-Base, ≥ 500 Lumens)	\$3 per lamp
Decorative	LED Globe (Any-Base, <500 Lumens)	\$1 per lamp
	LED Globe (Medium-Base, ≥ 500 Lumens)	\$3 per lamp
	LED Globe (Candelabra or Intermediate-Base, ≥ 500 Lumens)	\$3 per lamp
	LED Pin Based: < 1,499 Lumens	\$6 per lamp
Pin-Based	LED Pin Based: 1,500 - 2,999 Lumens	\$15 per lamp
	LED Pin Based: 3,000 Lumens or above	\$30 per lamp
	1x4 Tube or Strip LED Troffer	\$6 per fixture
	1x8 Tube or Strip LED Troffer NEW	\$9 per fixture
	2x2 Tube or Strip LED Troffer	\$6 per fixture
	2x4 Tube or Strip LED Troffer	\$12 per fixture
Troffer Luminaire	2x8 Tube or Strip LED Troffer NEW	\$18 per fixture
and Retrofit Kit	1x4 LED Troffer Retrofit Kit	\$7 per kit
	1x8 LED Troffer Retrofit Kit NEW	\$9 per kit
	2x2 LED Troffer Retrofit Kit	\$7 per kit
	2x4 LED Troffer Retrofit Kit	\$14 per kit
	2 x 8 LED Troffer Retrofit Kit	\$18 per kit
Linear Lamp	LED Linear Replacement Lamp: 2 ft	\$4 per lamp
	LED Linear Replacement Lamp: 4 ft	\$6 per lamp
	LED Linear Replacement Lamp: 8 ft	\$8 per lamp
	LED Linear Replacement Lamp: 2 ft - Controlled by Occupancy Sensor ¹ NEW	\$7 per lamp
	LED Linear Replacement Lamp: 4 ft - Controlled by Occupancy Sensor ¹ NEW	\$11 per lamp
	LED Linear Replacement Lamp: 8 ft - Controlled by Occupancy Sensor ¹ NEW	\$14 per lamp

Lighting	Description			Incentive	
High/Low Bay Luminaire	High-Bay Luminaires: 5,000 - 9,999 Lumens		NEW	\$25 per fixture	
	High-Bay Luminaires: 10,000 - 19,999 Lumens		NEW	\$50 per fixture	
	High-Bay Luminaires: 20,000 - 29,999 Lumens		NEW	\$100 per fixture	
	High-Bay Luminaires: 30,000 - 39,999 Lumens		NEW	\$150 per fixture	
	High-Bay Luminaires: 40,000 Lumens or Above		NEW	\$200 per fixture	
	LED Omnidirectional: < 1,499 Lumens			\$2 per lamp	
	LED Omnidirectional: 1,500 - 2,999 Lumens			\$6 per lamp	
	LED Omnidirectional: 3,000 Lumens or Above			\$10 per lamp	
	LED Directional: < 1,499 Lumens			\$2 per lamp	
	LED Directional: 1,500 - 2,999 Lumens			\$6 per lamp	
	LED Directional: 3,000 Lumens or Above			\$10 per lamp	
Exterior	LED Decorative: < 1,499 Lumens			\$2 per lamp	
Lighting	LED Decorative: 1,500 - 2,999 Lumens			\$6 per lamp	
	LED Decorative: 3,000 Lumens or Above			\$10 per lamp	
	LED Luminaire: 5,000 - 9,999 Lumens			\$13 per fixture	
	LED Luminaires: 10,000 - 19,999 Lumens			\$25 per fixture	
	LED Luminaires: 20,000 - 29,999 Lumens			\$50 per fixture	
	LED Luminaires: 30,000 - 39,999 Lumens			\$75 per fixture	
	LED Luminaires: 40,000 Lumens or Above			\$100 per fixture	
Defrimenated	Refrigerated Case Lighting: 4 ft - Cooler			\$25 per fixture	
Refrigerated Case Lighting	Refrigerated Case Lighting: 5 ft - Cooler			\$31 per fixture	
Guse Eighting	Refrigerated Case Lighting: 6 ft - Cooler			\$37 per fixture	
Delamping	Delamping			\$200 per 1000 watts removed	
Lighting Controls	Description			Incentive	
	Dual Daylight & Occupancy Sensor		NEW	10¢ per watt	
	Daylight Continuous Dimming Control		NEW	controlled	
Controls	Luminaire Level Lighting Control with Local or Cloud Server		14¢ per watt controlled		
	Occupancy Sensor: Wall, Fixture, or Remote-Mounted: ≤ 200 Watts Controlled NEW		10¢ per watt controlled		
	Occupancy Sensor: Wall, Fixture, or Remote-Moun	ted: ≥ 200 Watts Controlled	NEW	\$60 per sensor	
HVAC ²		Minimum Requirements		Incentive	
Packaged Terminal F	leat Pumps < 7 kBtu/h	≥ 13 EER & ≥ 3.5 COP	NEW		
Packaged Terminal F	leat Pumps ≥ 7 and < 15 kBtu/h	≥ 12 EER & ≥ 3.4 COP	NEW	/ \$20 per unit	
Packaged Terminal F	leat Pumps ≥ 15 kBtu/h	≥ 10.7 EER & ≥ 3.4 COP	NEW		
Packaged Terminal A	Air Conditioners < 7 kBtu/h	≥ 13 EER	NEW	<u>r</u>	
Packaged Terminal A	air Conditioners ≥ 7 and < 15 kBtu/h	< 15 kBtu/h \geq 12 EER NEW \$15 per unit			
Packaged Terminal A	air Conditioners ≥ 15 kBtu/h	≥ 10.1 EER	NEW	/	
	kage Vertical Heat Pumps \leq 5.4 tons \geq 12 EER $\& \geq$ 3.5 COP NEW		\$15 per ton		
	ackage Vertical Heat Pumps > 5.4 and \leq 11.25 tons \geq 12 EER & \geq 3.5 COP		Ψ.ο βοι τοι:		
Single Package Vertical Air Conditioners \leq 5.4 tons \geq 12 EER NEW		\$12 per ton			
		≥ 12 EER	NEW	TIZ PET TOTT	
≥ 9.2 HSPF or ≥ 7.9 HSPF2		NEW	\$15 per ton		
Air Source Heat Pumps - Split and Single Package > 5.4 and \leq 11.25 tons \geq 17 IEER & \geq 3.6 COP					
Air Source Heat Pumps - Split and Single Package > 11.25 and \leq 20 tons \geq 16 IEER & \geq 3.4 COP			\$20 per ton		
Air Source Heat Pumps - Split and Single Package > 20 tons \geq 15 IEER & \geq 3.4 COP NEW			NEW		
Water Source Heat p	pump ≤ 1.4 tons \geq 17 EER & \geq 5 COP NEW				
Water Source Heat pump > 1.4 and \leq 5.4 tons \geq 17.5 EER & \geq 5 COP NEW			\$15 per ton		
Water Source Heat p	•	≥ 17.5 EER & ≥ 5 COP	NEW	1	

HVAC		Minimum Requirements		Incentive	
Air Conditioners - Sp	olit and Single Package ≤ 5.4 tons	≥ 17.5 SEER or ≥ 16.7 SEER2	NEW		
Air Conditioners - Sp	Air Conditioners - Split and Single Package > 5.4 and \leq 11.25 tons \geq 17 IEER Air Conditioners - Split and Single Package > 11.25 and \leq 20 tons \geq 16 IEER		NEW		
Air Conditioners - Sp			NEW	\$15 per ton	
Air Conditioners - Sp	olit and Single Package > 20 and ≤ 63.3 tons				
Air Cooled Chillers ≤	150 tons	≥ 16 EER @ IPLV	NEW	\$8 per ton	
Water Cooled Chiller	s - Positive Displacement ≤ 75 tons	≤ 0.51 kW/ton @ IPLV	NEW	\$5 per ton	
Water Cooled Chiller	s - Positive Displacement > 75 and ≤ 120 tons	≤ 0.48 kW/ton @ IPLV	NEW	\$5 per ton	
Water Cooled Chiller	s - Centrifugal ≤ 150 tons	≤ 0.40 kW/ton @ IPLV	NEW	\$10 per ton	
Ductless, Mini Split A	ir Conditioners ≤ 5.4 tons	≥ 17.5 SEER	NEW	\$10 per ton	
Ductless, Mini Split H	leat Pumps ≤ 5.4 tons	≥ 17.5 SEER & ≥ 9.2 HSPF	NEW	\$15 per ton	
HVAC Controls	Description			Incentive	
F	Dual Enthalpy Economizer ≤ 5 tons		NEW	\$18 per control	
Economizers ³	Dual Enthalpy Economizer > 5 tons		NEW	\$55 per control	
	Smart Thermostat - AC and Electric Resistance	Heat	NEW	\$30 each	
Smart Thermostats ⁴	Smart Thermostat - AC and Heat Pump		NEW	\$20 each	
Thermostats	Smart Thermostat - AC and Gas Heat		NEW	\$12 each	
	EC Motors-Hydronic Heating Pumps <1 HP		NEW	\$85 each	
	EC Motors-Hydronic Heating Pumps ≥ 1HP and ≤ 10 HP		NEW	\$275 per HP	
EC Mataux	EC Motors-Hydronic Cooling Pumps <1 HP		NEW	\$35 each	
EC Motors	EC Motors-Hydronic Cooling Pumps ≥ 1HP and ≤ 10 HP		NEW	\$115 per HP	
	EC Motors-Hydronic DHW Pumps <1 HP	onic DHW Pumps <1 HP NEW \$4.		\$45 each	
	EC Motors-Hydronic DHW Pumps ≥ 1HP and ≤ 10 HP		NEW	\$140 per HP	
HVAC Misc.	Description			Incentive	
Can Balta	Notched Belt for HVAC		NEW	\$30 each	
Fan Belts	Synchronous Belt for HVAC		NEW	\$80 each	
Tune-Ups⁵	Chiller Tune-Up		NEW	\$3 per ton	
rune-ops	HVAC Tune-Up		NEW	\$4 per ton	
VFD	Description			Incentive	
VFD for HVAC Application ⁶	VFD: Fan or Pump		NEW	\$150 per HP	
Hot Water	Description			Incentive	
Water Heater	Hot Water ENERGY STAR Heat Pump Electric St	orage Water Heater ≤ 55 Gallons	NEW	\$80 each	
water neater	Hot Water ENERGY STAR Heat Pump Electric St	orage Water Heater > 55 Gallons	NEW	\$90 each	
Compressed Air	Description			Incentive	
Condensate Drains ⁷	·		NEW	\$225 each	
VSD Air Compressor ⁸	VSD Air Compressor		NEW	\$4,250 each	
Air Nozzle ⁹	Air Nozzle NEW		\$50 each		
Thermal Mass Dryer ¹⁰	Cycling Refrigerated Thermal Mass Dryer		NEW	12¢ per kWh saved	
Storage Tank ¹¹	Storage Tanks for Load/No Load Screw Compre	ssors	NEW	12¢ per kWh saved	

Kitchen	Description		Incentive	
	Pre-Rinse Spray Valve 1.6 GPM: Electric Water Heating: Full Service Restaurant			
	Pre-Rinse Spray Valve 1.6 GPM: Electric Water Heating: Limited Service (Fast Food) Restaurant		\$54 each	
	Pre-Rinse Spray Valve 1.6 GPM: Electric Water Heating: Other Facility		,	
	Pre-Rinse Spray Valve 1.28 GPM: Electric Water Heating: Full Service Restaurant			
Pre-Rinse Spray	Pre-Rinse Spray Valve 1.28 GPM: Electric Water Heating: Limited Service (Fast Food) Restaurant	:	\$75 each	
Valve ¹²	Pre-Rinse Spray Valve 1.28 GPM: Electric Water Heating: Other Facility		•	
	Pre-Rinse Spray Valve 1.15 GPM: Electric Water Heating: Full Service Restaurant		\$100 each	
	Pre-Rinse Spray Valve 1.15 GPM: Electric Water Heating: Limited Service (Fast Food) Restaurant			
	Pre-Rinse Spray Valve 1.15 GPM: Electric Water Heating: Other Facility			
Commercial Griddle ¹³	Electric Commercial Griddle	IEW	\$500 each	
Commercial	Electric Fryer: Standard Size	IEW	#200l-	
Fryer ¹³	Electric Fryer: Large Vat	IEW	\$200 each	
Commercial	Steam Cooker: Steam Generator Baseline	IEW	#1.200 L	
Steam Cooker ¹³	Steam Cooker: Boiler Based Baseline	IEW	\$1,200 each	
	Electric Commercial Ovens: Convection, Half Size	IEW	\$100 each	
Commercial	Electric Commercial Ovens: Convection, Full Size	IEW	\$400 each	
Oven ¹³	Electric Commercial Ovens: Combination, Pans <15	IEW	\$800 each	
	Electric Commercial Ovens: Combination, Pans ≥15	IEW	\$1,000 each	
	Dishwasher: Low Temperature Under Counter	IEW	\$280 each	
	Dishwasher: Low Temperature Stationary Single Tank Door	IEW	\$1,000 each	
	Dishwasher: Low Temperature Single Tank Conveyor	IEW	\$1,200 each	
Commercial	Dishwasher: Low Temperature Multi Tank Conveyor	IEW	\$1,500 each	
Dishwasher ¹³ (Electric Hot	Dishwasher: High Temperature Under Counter	IEW	\$350 each	
Water Only)	Dishwasher: High Temperature Stationary Single Tank Door	IEW	\$1,300 each	
vvater omy)	Dishwasher: High Temperature Single Tank Conveyor)	IEW	\$1,000 each	
	Dishwasher: High Temperature Multi Tank Conveyor	IEW	\$2,000 each	
	Dishwasher: Pot, Pan, and Utensil	IEW	\$370 each	
Refrigeration	Description		Incentive	
	Cooler <0.0667 HP [<1/15 HP]	<i>IEW</i>	\$75 each	
	Cooler 0.0667 - <0.25 HP [1/15 - <1/4 HP]	IEW	\$260 each	
	Cooler 0.025 - <0.5 HP [1/4 - <1/2 HP]	IEW	\$400 each	
ECM Motor	Cooler >0.5 HP [> 1/2 HP]	IEW	\$550 each	
Retrofits14	Freezer < 0.0667 [<1/15 HP]	IEW	\$75 each	
	Freezer 0.0667 - <0.25 HP [1/15 - <1/4 HP]	IEW	\$260 each	
	Freezer 0.025 - <0.5 HP [1/4 - <1/2 HP]	IEW	\$400 each	
	Freezer >0.5 HP [> 1/2 HP]	IEW	\$550 each	
	Anti-Sweat Heater Control: Cooler, On/Off Controls	IEW	\$100 per door	
Anti-Sweat	Anti-Sweat Heater Control: Cooler, Micropulse Controls	<i>IEW</i>	\$100 per door	
Heater Control ¹⁵	Anti-Sweat Heater Control: Freezer, On/Off Controls	<i>IEW</i>	\$120 per door	
	Anti-Sweat Heater Control: Freezer, Micropulse Controls	<i>IEW</i>	\$120 per door	
Automatic Door ¹⁶	Automatic Door Closer: Cooler	<i>IEW</i>	\$100 each	
Closer	Automatic Door Closer: Freezer	<i>IEW</i>	\$150 each	
	Vending Machine Control: Refrigerated		\$100 each	
Vending Machine Controls ¹⁷	Vending Machine Control: Glass Front Refrigerated Cooler		\$100 each	
	Vending Machine Control: Non Refrigerated	<i>IEW</i>	\$20 each	
Door Gasket ¹⁸	Door Gasket: Reach-in Cooler	IEW	\$2 per	
	Door Gasket: Walk-in Cooler	IEW	linear foot	
	Door Gasket: Reach-in Freezer	IEW	\$4 per	
	Door Gasket: Walk-in Freezer	IEW	linear foot	
	Night Cover for Vertical Refrigerated Case		\$22 per linear ft	

Refrigeration	Description		Incentive
	Solid Door Commercial Freezer < 15 cubic feet (AHAM interior volume)	V <i>EW</i>	\$65 each
	Solid Door Commercial Freezer 15 - <30 cubic feet (AHAM interior volume)	V <i>EW</i>	\$65 each
	Solid Door Commercial Freezer 30 - <50 cubic feet (AHAM interior volume)	V <i>EW</i>	\$80 each
	Solid Door Commercial Freezer 50 - 90 cubic feet (AHAM interior volume)	V <i>EW</i>	\$110 each
Commercial	Glass Door Commercial Freezer < 15 cubic feet (AHAM interior volume)	V <i>EW</i>	\$50 each
Freezer ¹³	Glass Door Commercial Freezer 15 - <30 cubic feet (AHAM interior volume)	V <i>EW</i>	\$90 each
	Glass Door Commercial Freezer 30 - <50 cubic feet (AHAM interior volume)	V <i>EW</i>	\$140 each
	Glass Door Commercial Freezer 50 - 90 cubic feet (AHAM interior volume)	V <i>EW</i>	\$225 each
	Glass Door Chest Freezers any size		\$60 each
	Solid Door Chest Freezers any size		\$60 each
Display Case Doors	Display Case Doors on Open Display Cases	V <i>EW</i>	\$25 linear foot
	Glass Front Refrigerated Cooler Control	V <i>EW</i>	\$80 each
	Floating Head Pressure Controls	V <i>EW</i>	\$55 per ton
Controls	Evaporator Fan Motor Control Walk-in or Reach-in Cooler	V <i>EW</i>	\$55 per motor
	Evaporator Fan Motor Control Walk-in or Reach-in Freezer	V <i>EW</i>	\$70 per motor
Compressor	Variable Speed Refrigeration Compressor	V <i>EW</i>	\$200 per ton
Misc.	Description		Incentive
	Advanced Power Strip	V <i>EW</i>	\$2 each
	Commercial Ice Machines 0-100 lbs/day	V <i>EW</i>	\$10 each
	Commercial Ice Machines 101-250 lbs/day	V <i>EW</i>	\$20 each
	Commercial Ice Machines 251-500 lbs/day	V <i>EW</i>	\$40 each
Appliances &	Commercial Ice Machines 501-1000 lbs/day	V <i>EW</i>	\$80 each
Plug Load	ENERGY STAR Computers	V <i>EW</i>	\$8 each
	ENERGY STAR Imaging	V <i>EW</i>	\$14 each
	ENERGY STAR Uninterruptible Power Supplier (UPS)	V <i>EW</i>	\$13 per kVA
	Small Network PC Controller	V <i>EW</i>	\$25 per PC
Other	Description		controlled
Other		V <i>EW</i>	\$50 per heater
Agriculture	Zingmo Zirok mode immor	VEW	\$50 per heater \$225 each
	Transferration rando str	VEW	\$450 each
	zany esten compresses.	VEW	\$1.000 each
		VEW	\$35 each
	2.700000.7700000	VEW	\$35 each
	Builty Vacadit Family Veb Controls	VEVV VEW	\$330 each
	2011 1 1000 at a 111 gatton 1 1 g	VEVV VEW	\$20 per acre
	Low Pressure Irrigation Golf Course ²³	AE AA	

- 1 All LED linear lamp replacements shall be controlled by an occupancy sensor. Occupancy sensors may be used to control multiple fixtures/lamps. This incentive may not be combined with the occupancy sensor incentive.
- 2 All HVAC equipment must meet or exceed ASHRAE 90.1 2019 requirements. AHRI certificate and specification sheets must be provided for all new HVAC equipment. Projects that involve replacing inefficient HVAC systems may be eligible for a custom incentive under certain conditions.
- 3 HVAC systems with existing economizers are not eligible.
- 4 Thermostat shall be an ENERGY STAR certified smart thermostat.
- ${\small 5}\>\>\>\>\> {\small Tune-Up\ projects\ require\ completion\ of\ the\ program\ Tune-Up\ checklist.}$
- 6 Motor(s) being controlled must be 200 HP or less and operate a minimum of 2,000 hours per year. Incentives are available for VFDs only in a retrofit situation where no VFD has been in use previously. Replacement of failed VFDs are not eligible for incentives.
- 7 Requires baseline conditions of compressed air systems with standard condensate drains operated by a solenoid and/or timer.
- 8 Limited to 100 HP or less screw compressor with variable speed control on the motor to match output to the load.
- 9 Must replace continuous open blow-offs. Must meet SCFM rating at 80 psig less than or equal to: 1/8" 11 SCFM, 1/4" 29 SCFM, 5/16" 56 SCFM, or 1/2" 140 SCFM.
- 10 Unit must replace non-cycling (e.g., continuous) air dryer with a capacity of 600 CFM or below. The replacement of desiccant, deliquescent, heat-of-compression, membrane, or other types of dryers does not qualify under this measure.
- 11 Requires the installation of new air receivers with pressure/flow controls to load/no load compressors with a minimum storage ratio of 4 gallons of storage per CFM.
- 12 Must meet GPM requirements and facility must use electric hot water.
- 13 Must be ENERGY STAR certified and replace an existing unit.
- 14 Must replace an existing PSC motor. Upgrade should not be installed if existing equipment is near end of its service life or very low efficiency, in which case full equipment replacement is recommended.
- 15 Must be installed on a commercial glass door cooler or freezer with a standard heated door running 24 hours a day, seven days per week (24/7) with no controls installed.
- 16 Must be installed in unit with no existing auto closer. The walk-in door perimeter must be \geq 16 feet.
- 17 Must be installed on an existing standard refrigerated beverage vending machine that does not contain control systems to shut down the refrigeration components and lighting during times of low customer use. This measure can not be applied to ENERGY STAR qualified vending machines as they already have built-in controls.
- 18 Old and/or damaged gasket must have at least six inches of damage for reach-in units and at least two feet of damage for walk-in units.
- 19 Must be installed on a unit with no existing night cover.
- 20 Automatic milker takeoffs must replace existing manual takeoffs on dairy milking pump systems. The vacuum pump system must be equipped with a variable speed drive (VSD).
- 21 Must replace an existing reciprocating compressor or to be installed in a new construction application.
- 22 Only dairy parlors with electric water heating equipment are eligible.
- 23 Requires a minimum of 50% reduction in irrigation pumping pressure through the installation of a low-pressure irrigation system in agriculture or golf course applications.